

# Digital Material

## I. ZrGEN®

ZrGEN® is the brand name of MegaGen Titanium Base. ZrGEN provides an aesthetic outcome and simplified dental implant prosthesis. A ZrGEN® crown and monolithic crown connected to a ZrGEN® Abutment provide strong and precise connection with the implant fixture.

### Variety of ZrGEN®



ZrGEN Coping



PMMA Provisional Crown



ZrGEN Monolithic



ZrGEN Crown



ZrGEN Bridge



ZrGEN Coping for PFZ

### ZrGEN® Sub Structure



ZrGEN



Zirconia customized body



Zirconia Final Crown

### ZrGEN®

The strength of ZrGEN® frees you from the chipping of conventional PFM prosthesis. Monolithic zirconia crowns have no metal substructure, ensuring more aesthetic results. ZrGEN® crown and bridge are a superior substitutes for all conventional dental materials.



Tooth shade cuff area




Minimized Ti-connection

### Clinical Application



## II. TiGEN®

TiGEN® is the brand name of MegaGen Titanium customized abutment. It promises outstanding durability and simplified dental implant prosthesis. Ready-made connection part provides a strong and precise connection with the implant fixture.




## ➔ ZrGEN® Prosthesis



### ZrGEN® Abutment

ZrGEN® Abutment provides a strong and precise connection with the implant fixture. With Zirconia® coping, crown margins can be placed supragingivally since zirconia material matches with the color of natural teeth. Residual cement problems are no longer an issue.




## ➔ Scan Abutment Option

### Scan Abutment

- Abutment Screw included.
- . AnyRidge (AANMSF)
- . AnyRidge Octa 1 (AROAS16B/ AROAS16)
- . AnyOne Internal (AS20)
- . AnyOne Exeternal (SCS160/ RCS200)
- . AnyOne OneStage (EXIMS100)
- . MiNi (MIAS14)
- . Octa Level (IRCS200)
- . Multi-unit Abutment (MUAS)

- For Chairside/ Labside
- Included spare Abutment Screw
- Surpporting Dental CAD
  - 3 Shape
  - Exocad
  - Dental Wings

System	Profile Diameter	Length (mm)	Type	Ref.C
AnyRidge	Ø4.0	9	-	AANISR4009T
		13	-	AANISR4013T
AnyRidge Octa 1	Ø4.0	13	NC	AROSANT
			RC	AROSART
AnyOne Internal	Ø4.0	9	-	AAOISR4009T
		13	-	AAOISR4013T
AnyOne External	Ø4.0	9	Small	AEXESS4009T
		13		AEXESS4013T
		9	Regular	AEXESR4009T
		13		AEXESR4013T
AnyOne OneStage	Ø4.0	10	Cuff 1.8	AEXISR4010T
MiNi	3.5	9	-	MISS3509T
		13	-	MISS3513T
Octa Level	Ø4.0	11	-	AOCESC4011T
MUA Level (N-Type)	Ø4.0	13	-	AMUASR4013T




### Scan Abutmet (C-type)

- Abutment Screw included.
- . AnyRidge (AANMSF)
- . AnyOne (AS20)
- . AnyRidge Octa 1(AROAS16B/ AROAS16)

- Scan Post for Sirona Cerec users → CEREC
- In in Lab CAD Software, compatible with Xive Library

System	Profile Diameter	Cuff Height	Post Size	Ref.C
AnyRidge	Ø3.9	0.5	Small	ARICSS3405T
		1		ARICSS3410T
		2		ARICSS3420T
	Ø4.3	0.5	Small	ARICSS3805T
		1		ARICSS3810T
		2		ARICSS3820T
	Ø5.5	0.5	Large	ARICSL4505T
		1		ARICSL4510T
		2		ARICSL4520T
AnyRidge Octa 1	Ø3.9	0.5	Small	AROCSS3405NT
		1		AROCSS3410NT
		2		AROCSS3420NT
	Ø4.3	0.5	Small	AROCSS3805NT
		1		AROCSS3810NT
		2		AROCSS3820NT
	Ø3.9	0.5	Small	AROCSS3405RT
		1		AROCSS3410RT
		2		AROCSS3420RT
	Ø4.3	0.5	Small	AROCSS3805RT
		1		AROCSS3810RT
		2		AROCSS3820RT
Ø5.5	0.5	Large	AROCSL4505RT	
	1		AROCSL4510RT	
	2		AROCSL4520RT	
AnyOne	Ø3.9	0.5	Small	AOICSS3405T
		1		AOICSS3410T
		2		AOICSS3420T
	Ø4.3	0.5	Small	AOICSS3805T
		1		AOICSS3810T
		2		AOICSS3820T
	Ø5.5	0.5	Large	AOICSL4505T
		1		AOICSL4510T
		2		AOICSL4520T



## Scan Healing Abutment & Scan Post


- Abutment Screw included.

- AnyRidge (ARIHS1804/ARIHS1805/ARIHS1807)
- AnyOne (AOIHS2004/AOIHS2005/AOIHS2007)
- AnyRidge Octa 1 (AROHS1604/AROHS1605/AROHS1607)


- Can get scan data without removing Scan Healing Abutment from Scan Post
- Different colors depend on the cuff size
- Scan healing abutment should be exposed 2.0mm on the surgical site for accurate scanning

- Scan Healing Abutment should be exposed 2.0mm from the surgical site for accurate scanning. Scanning would be much easier if you connect Scan Post when scanning seems difficult due to less exposure of Scan Healing Abutment or other conditions.
- Select Scan Post based on the diameter of Scan Healing Abutment
- Scan Post is a disposable product and sold separately in batch of 10EA. for each package

System	Profile Diameter	Scan Post	Height (mm)	Ref.C
AnyRidge	Ø4.0	SP4007.MTN	4	ARISH4004T
			5	ARISH4005T
			7	ARISH4007T
	Ø5.0	SP5007.MTN	4	ARISH5004T
			5	ARISH5005T
			7	ARISH5007T
	Ø6.0	SP6007.MTN	4	ARISH6004T
			5	ARISH6005T
			7	ARISH6007T
	Ø7.0	SP7007.MTN	4	ARISH7004T
			5	ARISH7005T
			7	ARISH7007T
	Ø5.0 (Extra type)	SP5007.MTN	4	ARNSH5004T
			5	ARNSH5005T
			7	ARNSH5007T
Ø6.0 (Extra type)	SP6007.MTN	4	ARNSH6004T	
		5	ARNSH6005T	
		7	ARNSH6007T	
AnyRidge Octa 1	Ø4.0	SP4007.MTN	4	AROISHN4004T
			5	AROISHN4005T
			7	AROISHN4007T
	Ø5.0	SP5007.MTN	4	AROISHN5004T
			5	AROISHN5005T
			7	AROISHN5007T
	Ø4.0	SP4007.MTN	4	AROISHR4004T
			5	AROISHR4005T
			7	AROISHR4007T
	Ø5.0	SP5007.MTN	4	AROISHR5004T
			5	AROISHR5005T
			7	AROISHR5007T
	Ø6.0	SP6007.MTN	4	AROISHR6004T
			5	AROISHR6005T
			7	AROISHR6007T
Ø7.0	SP7007.MTN	4	AROISHR7004T	
		5	AROISHR7005T	
		7	AROISHR7007T	
AnyOne	Ø4.0	SP4007.MTN	4	AOISH4004T
			5	AOISH4005T
			7	AOISH4007T
	Ø4.5	SP5007.MTN	4	AOISH4504T
			5	AOISH4505T
			7	AOISH4507T
	Ø5.5	SP6007.MTN	4	AOISH5504T
			5	AOISH5505T
			7	AOISH5507T
	Ø6.5	SP7007.MTN	4	AOISH6504T
			5	AOISH6505T
			7	AOISH6507T




\* If Scan Healing Abutment is exposed more than 2.5mm, it may unbalance a fixture and results in fixture failure.



## Scan Post Carrier

System	Length	Ref.C
Common	19	SPC16



## ➔ RP Analog Option

### RP Analog

- For Chairside/ Labside
- Included spare Abutment Screw
- Supporting Dental CAD
  - 3 Shape
  - Exocad

System	Profile Diameter	Length (mm)	Type	Ref.C
AnyRidge	Ø4.0	9	-	CANIAR4009
AnyRidge Octa 1	Ø3.3	10	NC	AROLAN
	Ø4.1		RC	AROLAR
AnyOne Internal	Ø4.0	9	Only Ø3.5	CAOIAS3509
			-	CAOJAR4009
AnyOne External	Ø3.5	9	Small	CEXEAS3509
	Ø4.1		Regular	CEXEAR4109
	Ø5.0		Wide	CEXEAW5009
AnyOne OneStage	Ø4.8	9	Cuff 1.8	OSRA18
MiNi	Ø3.0	9	-	CMIAN3009
Octa Level	Ø3.8	9	Small	OCTARA4
	Ø4.8		Regular	OCTARA5
	Ø5.8		Wide	OCTARA6
MUA Level (N-Type)	Ø4.8	9	-	MUALA




# NEW!! ➔ ZrGEN Abutment Option

## ZrGEN Abutment

- Abutment Screw included.
- . AnyRidge (AANMSF)
- . AnyOne Internal (AS20)
- . AnyOne Exeternal(SCS160/ RCS200)
- . AnyOne Stage
- . MiNi (MIAZ1410)
- . Octa Level(IRCS200)
- . AnyRidge Octa 1(AROAS16B/ AROAS16)

- Titanium Base
- 1Set(=Abutment 10ea)
  - included spare Abutment Screw
  - MiNi ZrGEN has special ZrGEN Screw
- Supporting DentalCAD
  - 3 Shape
  - Exocad
  - Dental Wing
- Different groove number depend on the post size
  - P=4.5 ▶ groove number : 2ea
  - P=5 ▶ groove number : 3ea
  - P=6 ▶ groove number : 4ea
  - P=8 ▶ groove number : 6ea



### Standard

System	Diameter	Cuff Height	Post Height	Type	Ref.C
AnyRidge	Ø4.0	0.6	4.5	Hex	AANIPR4015.MTN
			6		AANIPR4016.MTN
			8		AANIPR4018.MTN
		1.5	4.5		AANIPR4025.MTN
			6		AANIPR4026.MTN
			8		AANIPR4028.MTN
		3.0	4.5		AANIPR4035.MTN
			6		AANIPR4036.MTN
			8		AANIPR4038.MTN
		4.0	4.5		AANIPR4045.MTN
			6		AANIPR4046.MTN
			8		AANIPR4048.MTN
		Non-Hex	0.6	4.5	AANIPR4015N.MTN
				6	AANIPR4016N.MTN
				8	AANIPR4018N.MTN
			1.5	4.5	AANIPR4025N.MTN
				6	AANIPR4026N.MTN
				8	AANIPR4028N.MTN
			3.0	4.5	AANIPR4035N.MTN
				6	AANIPR4036N.MTN
				8	AANIPR4038N.MTN
			4.0	4.5	AANIPR4045N.MTN
				6	AANIPR4046N.MTN
				8	AANIPR4048N.MTN
	Ø4.5	Hex	0.6	4.5	AANIPR4515.MTN
				6	AANIPR4516.MTN
				8	AANIPR4518.MTN
			1.5	4.5	AANIPR4525.MTN
				6	AANIPR4526.MTN
				8	AANIPR4528.MTN
			3.0	4.5	AANIPR4535.MTN
				6	AANIPR4536.MTN
				8	AANIPR4538.MTN
			4.0	4.5	AANIPR4545.MTN
				6	AANIPR4546.MTN
				8	AANIPR4548.MTN
		Non-Hex	0.6	4.5	AANIPR4515N.MTN
				6	AANIPR4516N.MTN
				8	AANIPR4518N.MTN
			1.5	4.5	AANIPR4525N.MTN
				6	AANIPR4526N.MTN
				8	AANIPR4528N.MTN
			3.0	4.5	AANIPR4535N.MTN
				6	AANIPR4536N.MTN
				8	AANIPR4538N.MTN
			4.0	4.5	AANIPR4545N.MTN
				6	AANIPR4546N.MTN
				8	AANIPR4548N.MTN

System	Diameter	Cuff Height	Post Height	Type	Ref.C			
AnyRidge Octa 1	Ø4.0	NC	4.5	Octa	AROZGN4015.MTN			
					1.5	AROZGN4025.MTN		
					3.0	AROZGN4035.MTN		
			6.0		4.0	AROZGN4045.MTN		
					0.6	AROZGN4016.MTN		
					1.5	AROZGN4026.MTN		
		8.0	3.0		AROZGN4036.MTN			
			4.0		AROZGN4046.MTN			
			0.6		AROZGN4018.MTN			
		RC	Ø4.5		4.5	Octa	1.5	AROZGN4028.MTN
							3.0	AROZGN4038.MTN
							4.0	AROZGN4048.MTN
					6.0		0.6	AROZGR4515.MTN
							1.5	AROZGR4525.MTN
							3.0	AROZGR4535.MTN
			8.0		4.0		AROZGR4545.MTN	
					0.6		AROZGR4516.MTN	
					1.5		AROZGR4526.MTN	
8.0	3.0		AROZGR4536.MTN					
	4.0		AROZGR4546.MTN					
	0.6		AROZGR4518.MTN					
MUA Level	Ø5.5	0.8	N-Type (Nobel)	5	AMUAPR5515N.MTN			
				6	AMUAPR5516N.MTN			
				8	AMUAPR5518N.MTN			

Standard

System	Diameter	Cuff Height	Post Height	Type	Ref.C
AnyOne Internal	Ø4.0	0.6	4.5	Hex	AAOIPR4015.MTN
			6		AAOIPR4016.MTN
			8		AAOIPR4018.MTN
		1.5	4.5		AAOIPR4025.MTN
			6		AAOIPR4026.MTN
			8		AAOIPR4028.MTN
		3.0	4.5		AAOIPR4035.MTN
			6		AAOIPR4036.MTN
			8		AAOIPR4038.MTN
		4.0	4.5		AAOIPR4045.MTN
			6		AAOIPR4046.MTN
			8		AAOIPR4048.MTN
	Ø4.5	0.6	4.5	Non-Hex	AAOIPR4015N.MTN
			6		AAOIPR4016N.MTN
			8		AAOIPR4018N.MTN
		1.5	4.5		AAOIPR4025N.MTN
			6		AAOIPR4026N.MTN
			8		AAOIPR4028N.MTN
		3.0	4.5		AAOIPR4035N.MTN
			6		AAOIPR4036N.MTN
			8		AAOIPR4038N.MTN
		4.0	4.5		AAOIPR4045N.MTN
			6		AAOIPR4046N.MTN
			8		AAOIPR4048N.MTN
	Ø4.5	0.6	4.5	Hex	AAOIPR4515.MTN
			6		AAOIPR4516.MTN
			8		AAOIPR4518.MTN
		1.5	4.5		AAOIPR4525.MTN
			6		AAOIPR4526.MTN
			8		AAOIPR4528.MTN
		3.0	4.5		AAOIPR4535.MTN
			6		AAOIPR4536.MTN
			8		AAOIPR4538.MTN
		4.0	4.5		AAOIPR4545.MTN
			6		AAOIPR4546.MTN
			8		AAOIPR4548.MTN
	Ø4.5	0.6	4.5	Non-Hex	AAOIPR4515N.MTN
			6		AAOIPR4516N.MTN
			8		AAOIPR4518N.MTN
		1.5	4.5		AAOIPR4525N.MTN
			6		AAOIPR4526N.MTN
			8		AAOIPR4528N.MTN
		3.0	4.5		AAOIPR4535N.MTN
			6		AAOIPR4536N.MTN
			8		AAOIPR4538N.MTN
		4.0	4.5		AAOIPR4545N.MTN
			6		AAOIPR4546N.MTN
			8		AAOIPR4548N.MTN

System	Diameter	Cuff Height	Post Height	Type	Ref.C
AnyOne External	Ø4.2	0.6	4.5	Hex	AEXEPS4015.MTN
			6		AEXEPS4016.MTN
			8		AEXEPS4018.MTN
		1.5	4.5		AEXEPS4025.MTN
			6		AEXEPS4026.MTN
			8		AEXEPS4028.MTN
		3.0	4.5		AEXEPS4035.MTN
			6		AEXEPS4036.MTN
			8		AEXEPS4038.MTN
		4.0	4.5		AEXEPS4045.MTN
			6		AEXEPS4046.MTN
			8		AEXEPS4048.MTN
	Ø4.5	0.6	4.5	Hex	AEXEPS4515.MTN
			6		AEXEPS4516.MTN
			8		AEXEPS4518.MTN
		1.5	4.5		AEXEPS4525.MTN
			6		AEXEPS4526.MTN
			8		AEXEPS4528.MTN
		3.0	4.5		AEXEPS4535.MTN
			6		AEXEPS4536.MTN
			8		AEXEPS4538.MTN
		4.0	4.5		AEXEPS4545.MTN
			6		AEXEPS4546.MTN
			8		AEXEPS4548.MTN
	Ø4.5	0.6	4.5	Hex	AEXEPR4515.MTN
			6		AEXEPR4516.MTN
			8		AEXEPR4518.MTN
		1.5	4.5		AEXEPR4525.MTN
			6		AEXEPR4526.MTN
			8		AEXEPR4528.MTN
		3.0	4.5		AEXEPR4535.MTN
			6		AEXEPR4536.MTN
			8		AEXEPR4538.MTN
		4.0	4.5		AEXEPR4545.MTN
			6		AEXEPR4546.MTN
			8		AEXEPR4548.MTN
	Ø5.5	0.6	4.5	Hex	AEXEPW5515.MTN
			6		AEXEPW5516.MTN
			8		AEXEPW5518.MTN
		1.5	4.5		AEXEPW5525.MTN
			6		AEXEPW5526.MTN
			8		AEXEPW5528.MTN
		3.0	4.5		AEXEPW5535.MTN
			6		AEXEPW5536.MTN
			8		AEXEPW5538.MTN
		4.0	4.5		AEXEPW5545.MTN
			6		AEXEPW5546.MTN
			8		AEXEPW5548.MTN
Ø4.8	0.6	4.5	Octa	AEXIPR5015.MTN	
		6		AEXIPR5016.MTN	
		8		AEXIPR5018.MTN	
	1.5	4.5		AEXIPR5025.MTN	
		6		AEXIPR5026.MTN	
		8		AEXIPR5028.MTN	
	3.0	4.5		AEXIPR5035.MTN	
		6		AEXIPR5036.MTN	
		8		AEXIPR5038.MTN	
	4.0	4.5		AEXIPR5045.MTN	
		6		AEXIPR5046.MTN	
		8		AEXIPR5048.MTN	

## Standard

System	Diameter	Cuff Height	Post Height	Type	Ref.C
MiNi	Ø3.0	0.6	2.5	Hex	MIPN3013.MTN
			2.5	Non-Hex	MIPN3013N.MTN
Octa Level	Small	0.8	5	Octa	AOCEPS5015.MTN
			6		AOCEPS5016.MTN
			8		AOCEPS5018.MTN
		0.8	Non-Octa	5	ANOEPS5015.MTN
				6	ANOEPS5016.MTN
				8	ANOEPS5018.MTN
	Regular	0.8	Octa	5	AOCEPR5515.MTN
				6	AOCEPR5516.MTN
				8	AOCEPR5518.MTN
		0.8	Non-Octa	5	ANOEPR5515.MTN
				6	ANOEPR5516.MTN
				8	ANOEPR5518.MTN
Wide	0.8	Octa	5	AOCEPW6515.MTN	
			6	AOCEPW6516.MTN	
			8	AOCEPW6518.MTN	
	0.8	Non-Octa	5	ANOEPW6515.MTN	
			6	ANOEPW6516.MTN	
			8	ANOEPW6518.MTN	





Extra

System	Fixture Core	Diameter	Cuff Height	Post Height	Type	Ref.C
AnyRidge	Core 3.3	Ø4.5	0.6	4.5	Hex	ARZXM4515.MTN
				6		ARZXM4516.MTN
				8		ARZXM4518.MTN
			1.5	4.5		ARZXM4525.MTN
				6		ARZXM4526.MTN
				8		ARZXM4528.MTN
			3.0	4.5		ARZXM4535.MTN
				6		ARZXM4536.MTN
				8		ARZXM4538.MTN
			4.0	4.5		ARZXM4545.MTN
				6		ARZXM4546.MTN
				8		ARZXM4548.MTN
	Core 3.8	Ø5.0	0.6	4.5	Hex	ARZXM503815.MTN
				6		ARZXM503816.MTN
				8		ARZXM503818.MTN
			1.5	4.5		ARZXM503825.MTN
				6		ARZXM503826.MTN
				8		ARZXM503828.MTN
			3.0	4.5		ARZXM503835.MTN
				6		ARZXM503836.MTN
				8		ARZXM503838.MTN
			4.0	4.5		ARZXM503845.MTN
				6		ARZXM503846.MTN
				8		ARZXM503848.MTN
Core 3.8	Ø5.5	0.6	4.5	Hex	ARZXM553815.MTN	
			6		ARZXM553816.MTN	
			8		ARZXM553818.MTN	
		1.5	4.5		ARZXM553825.MTN	
			6		ARZXM553826.MTN	
			8		ARZXM553828.MTN	
		3.0	4.5		ARZXM553835.MTN	
			6		ARZXM553836.MTN	
			8		ARZXM553838.MTN	
		4.0	4.5		ARZXM553845.MTN	
			6		ARZXM553846.MTN	
			8		ARZXM553848.MTN	
Core 3.8	Ø5.5	0.6	4.5	Non -Hex	ARZXM553815N.MTN	
			6		ARZXM553816N.MTN	
			8		ARZXM553818N.MTN	
		1.5	4.5		ARZXM553825N.MTN	
			6		ARZXM553826N.MTN	
			8		ARZXM553828N.MTN	
		3.0	4.5		ARZXM553835N.MTN	
			6		ARZXM553836N.MTN	
			8		ARZXM553838N.MTN	
		4.0	4.5		ARZXM553845N.MTN	
			6		ARZXM553846N.MTN	
			8		ARZXM553848N.MTN	


Extra

System	Fixture Core	Diameter	Cuff Height	Post Height	Type	Ref.C	
AnyRidge	Core4.0	Ø5.0	0.6	4.5	Hex	ARZXM5015.MTN	
				6		ARZXM5016.MTN	
				8		ARZXM5018.MTN	
			1.5	4.5		ARZXM5025.MTN	
				6		ARZXM5026.MTN	
				8		ARZXM5028.MTN	
			3.0	4.5		ARZXM5035.MTN	
				6		ARZXM5036.MTN	
				8		ARZXM5038.MTN	
			4.0	4.5	ARZXM5045.MTN		
				6	ARZXM5046.MTN		
				8	ARZXM5048.MTN		
			0.6	4.5	Non -Hex	ARZXM5015N.MTN	
						6	ARZXM5016N.MTN
						8	ARZXM5018N.MTN
				1.5		4.5	ARZXM5025N.MTN
						6	ARZXM5026N.MTN
						8	ARZXM5028N.MTN
				3.0		4.5	ARZXM5035N.MTN
						6	ARZXM5036N.MTN
						8	ARZXM5038N.MTN
			4.0	4.5	ARZXM5045N.MTN		
				6	ARZXM5046N.MTN		
				8	ARZXM5048N.MTN		
		Ø5.5	0.6	Hex	4.5	ARZXM5515.MTN	
					6	ARZXM5516.MTN	
					8	ARZXM5518.MTN	
					1.5	4.5	ARZXM5525.MTN
						6	ARZXM5526.MTN
						8	ARZXM5528.MTN
					3.0	4.5	ARZXM5535.MTN
						6	ARZXM5536.MTN
						8	ARZXM5538.MTN
			4.0	4.5	ARZXM5545.MTN		
				6	ARZXM5546.MTN		
				8	ARZXM5548.MTN		
			0.6	4.5	Non -Hex	ARZXM5515N.MTN	
						6	ARZXM5516N.MTN
						8	ARZXM5518N.MTN
				1.5		4.5	ARZXM5525N.MTN
						6	ARZXM5526N.MTN
						8	ARZXM5528N.MTN
				3.0		4.5	ARZXM5535N.MTN
						6	ARZXM5536N.MTN
						8	ARZXM5538N.MTN
			4.0	4.5	ARZXM5545N.MTN		
				6	ARZXM5546N.MTN		
				8	ARZXM5548N.MTN		

System	Fixture Core	Diameter	Cuff Height	Post Height	Type	Ref.C	
AnyRidge	Core 4.8	Ø5.5	0.6	4.5	Hex	ARZXL5515.MTN	
				6		ARZXL5516.MTN	
				8		ARZXL5518.MTN	
			1.5	4.5		ARZXL5525.MTN	
				6		ARZXL5526.MTN	
				8		ARZXL5528.MTN	
			3.0	4.5		ARZXL5535.MTN	
				6		ARZXL5536.MTN	
				8		ARZXL5538.MTN	
			4.0	4.5	ARZXL5545.MTN		
				6	ARZXL5546.MTN		
				8	ARZXL5548.MTN		
			0.6	4.5	Non -Hex	ARZXL5515N.MTN	
						6	ARZXL5516N.MTN
						8	ARZXL5518N.MTN
				1.5		4.5	ARZXL5525N.MTN
						6	ARZXL5526N.MTN
						8	ARZXL5528N.MTN
				3.0		4.5	ARZXL5535N.MTN
						6	ARZXL5536N.MTN
						8	ARZXL5538N.MTN
			4.0	4.5	ARZXL5545N.MTN		
				6	ARZXL5546N.MTN		
				8	ARZXL5548N.MTN		
		Ø6.0	0.6	Hex	4.5	ARZXL6015.MTN	
					6	ARZXL6016.MTN	
					8	ARZXL6018.MTN	
					1.5	4.5	ARZXL6025.MTN
						6	ARZXL6026.MTN
						8	ARZXL6028.MTN
					3.0	4.5	ARZXL6035.MTN
						6	ARZXL6036.MTN
						8	ARZXL6038.MTN
			4.0	4.5	ARZXL6045.MTN		
				6	ARZXL6046.MTN		
				8	ARZXL6048.MTN		
			0.6	4.5	Non -Hex	ARZXL6015N.MTN	
						6	ARZXL6016N.MTN
						8	ARZXL6018N.MTN
				1.5		4.5	ARZXL6025N.MTN
						6	ARZXL6026N.MTN
						8	ARZXL6028N.MTN
				3.0		4.5	ARZXL6035N.MTN
						6	ARZXL6036N.MTN
						8	ARZXL6038N.MTN
			4.0	4.5	ARZXL6045N.MTN		
				6	ARZXL6046N.MTN		
				8	ARZXL6048N.MTN		

- ZrGEN Abutment

- Ti-base for Sirona Cerec users → CEREC
- In in Lab CAD Software, compatible with Xive Library



C-Type


System	Diameter	Cuff Height	Post Height	Post Size	Ref.C			
AnyRidge	Ø3.9	0.5	4.7	Small	ARCS3405.MTN			
		1			ARCS3410.MTN			
		2			ARCS3420.MTN			
	Ø4.3	0.5			ARCS3805.MTN			
		1			ARCS3810.MTN			
		2			ARCS3820.MTN			
	Ø5.5	0.5		ARCL4505.MTN				
		1		ARCL4510.MTN				
		2		ARCL4520.MTN				
AnyRidge Octa 1	Ø3.9	0.5	4.7	Small	AROC SN3405.MTN			
		1.0			AROC SN3410.MTN			
		2.0			AROC SN3420.MTN			
		Ø4.3			0.5	AROC SN3805.MTN		
					1.0	AROC SN3810.MTN		
					2.0	AROC SN3820.MTN		
	Ø3.9	0.5		Small	AROC SR3405.MTN			
		1.0			AROC SR3410.MTN			
		2.0			AROC SR3420.MTN			
		Ø4.3			0.5	AROC SR3805.MTN		
					1.0	AROC SR3810.MTN		
					2.0	AROC SR3820.MTN		
	Ø5.5	0.5		AROCLR4505.MTN				
		1.0		AROCLR4510.MTN				
		2.0		AROCLR4520.MTN				
		AnyOne		Ø3.9	0.5	4.7	Small	AOCS3405.MTN
					1			AOCS3410.MTN
					2			AOCS3420.MTN
Ø4.3	0.5		AOCS3805.MTN					
	1		AOCS3810.MTN					
	2		AOCS3820.MTN					
Ø5.5	0.5		AOCL4505.MTN					
	1		AOCL4510.MTN					
	2		AOCL4520.MTN					

## Scan Abutmet (C-type)


- Abutment Screw included.
- . AnyRidge (AANMSF)
- . AnyOne (AS20)
- . AnyRidge Octa 1 (AROAS16B/ AROAS16)

- Scan Post for Sirona Cerec users → CEREC
- In in Lab CAD Software, compatible with Xive Library

System	Profile Diameter	Cuff Height	Post Size	Ref.C	
AnyRidge	Ø3.9	0.5	Small	ARICSS3405T	
		1		ARICSS3410T	
		2		ARICSS3420T	
	Ø4.3	0.5		ARICSS3805T	
		1		ARICSS3810T	
		2		ARICSS3820T	
	Ø5.5	0.5		Large	ARICSL4505T
		1			ARICSL4510T
		2			ARICSL4520T
AnyRidge Octa 1	Ø3.9	0.5	Small	AROCSS3405NT	
		1		AROCSS3410NT	
		2		AROCSS3420NT	
	Ø4.3	0.5		AROCSS3805NT	
		1		AROCSS3810NT	
		2		AROCSS3820NT	
	Ø3.9	0.5		Small	AROCSS3405RT
		1			AROCSS3410RT
		2			AROCSS3420RT
		Ø4.3	0.5		AROCSS3805RT
			1		AROCSS3810RT
			2		AROCSS3820RT
	Ø5.5	0.5	Large	AROCSL4505RT	
		1		AROCSL4510RT	
		2		AROCSL4520RT	
AnyOne	Ø3.9	0.5	Small	AOICSS3405T	
		1		AOICSS3410T	
		2		AOICSS3420T	
	Ø4.3	0.5		AOICSS3805T	
		1		AOICSS3810T	
		2		AOICSS3820T	
	Ø5.5	0.5		Large	AOICSL4505T
		1			AOICSL4510T
		2			AOICSL4520T



## ➡ TiGEN Prosthesis



## ➔ TiGEN Abutment Option

### TiGEN Abutment

- Abutment Screw included.
  - . AnyRidge (AANMSF)
  - . AnyOne Internal (AS20)
  - . AnyOne External(SCS160/ RCS200)
  - . AnyOne Stage
  - . MiNi (MIAZ1410)
  - . Octa Level(IRCS200)
  - . AnyRidge Octa 1(AROAS16B/ AROAS16)
- Pre-milled Abutment
- 1Set(=Abutment 10ea)
  - included spare Abutment Screw
- Supporting DentalCAD
  - 3Shape
  - Exocad
  - Dental Wings

### Standard

System	Color	Diameter	Length	Type	Ref.C
AnyRidge	Gold	Ø10	20	Hex	ARTR1020.MTN
				Non-Hex	ARTR1020N.MTN
		Hex		ARTR1220.MTN	
		Non-Hex		ARTR1220N.MTN	
AnyRidge Octa 1	Gold <span style="color: yellow;">●</span> NC	Ø10		Octa	AROTGN1020.MTN
		Ø12		Octa	AROTGN1220.MTN
	Silver <span style="color: purple;">●</span> RC	Ø10		Octa	AROTGR1020.MTN
		Ø12		Octa	AROTGR1220.MTN
AnyOne Internal	Pink	Ø10	Hex	AOTR1020.MTN	
		Ø12	Non-Hex	AOTR1020N.MTN	
			Hex	AOTR1220.MTN	
AnyOne External	N/A	Ø12	Non-Hex	AOTR1220N.MTN	
			Hex	AETS1220.MTN	
			Hex	AETR1220.MTN	
MiNi	N/A	Ø10	Hex	AETW1220.MTN	
			Hex	MITN1020.MTN	
			Non-Hex	MITN1020N.MTN	
Octa Level	Small	Ø10	Octa	OCTS1020.MTN	
			Non-Octa	NOTS1020.MTN	
		Ø12	Octa	OCTS1220.MTN	
			Non-Octa	NOTS1220.MTN	
	Regular	Ø10	Octa	OCTR1020.MTN	
			Non-Octa	NOTR1020.MTN	
		Ø12	Octa	OCTR1220.MTN	
			Non-Octa	NOTR1220.MTN	
	Wide	Ø10	Octa	OCTW1020.MTN	
			Non-Octa	NOTW1020.MTN	
		Ø12	Octa	OCTW1220.MTN	
			Non-Octa	NOTW1220.MTN	



### Extra EZ Connection

System	Color	Fixture Core	Diameter	Length	Type	Ref.C
AnyRidge	Gold	3.3	Ø10	20	Hex	ARTXN1020.MTN
					Non-Hex	ARTXN1020N.MTN
					Hex	ARTXN1220.MTN
					Non-Hex	ARTXN1220N.MTN
					Hex	ARTXM1020.MTN
					Non-Hex	ARTXM1020N.MTN
		4.0	Ø12		Hex	ARTXM1220.MTN
					Non-Hex	ARTXM1220N.MTN
		4.8	Ø10		Hex	ARTXL1020.MTN
					Non-Hex	ARTXL1020N.MTN
					Hex	ARTXL1220.MTN
					Non-Hex	ARTXL1220N.MTN
Hex	ARTXL1220.MTN					
Non-Hex	ARTXL1220N.MTN					

